

PVC PRESSURE FITTING. 10 ATM

ACCESSOIRES PVC DE PRESSION. 10 ATM

ELBOW F-F 45°
COUDE F-F 45°

| Ø D. | Code | U./B. |
|------|--------|-------|
| 16 | 304407 | 100 |
| 20 | 304551 | 200 |
| 25 | 220083 | 150 |
| 32 | 220084 | 80 |
| 40 | 220085 | 45 |
| 50 | 220086 | 60 |
| 63 | 220087 | 50 |
| 75 | 220088 | 35 |
| 90 | 220089 | 18 |
| 110 | 220090 | 20 |
| 125 | 220091 | 12 |
| 140 | 304178 | 9 |
| 160 | 304093 | 5 |
| 200 | 304473 | 2 |
| 250 | 304095 | 1 |
| 315 | 304470 | 1 |



ELBOW F-F 90°
COUDE F-F 90°

| Ø D. | Code | U./B. |
|------|--------|-------|
| 16 | 206001 | 100 |
| 20 | 220602 | 200 |
| 25 | 220603 | 100 |
| 32 | 220604 | 65 |
| 40 | 220605 | 80 |
| 50 | 220012 | 90 |
| 63 | 220013 | 45 |
| 75 | 220014 | 20 |
| 90 | 220015 | 30 |
| 110 | 220016 | 15 |
| 125 | 220017 | 12 |
| 140 | 220404 | 8 |
| 160 | 220019 | 4 |
| 200 | 304423 | 2 |
| 250 | 304381 | 1 |
| 315 | 304471 | 1 |



BEND 3 CONNECTION 90°
COURBE 3 CONECTION 90°

| Ø D. | Code | U./B. |
|------|--------|-------|
| 50 | 220001 | 65 |



PLUG F
BOUCHON F

| Ø D. | Code | U./B. |
|------|--------|-------|
| 20 | 220032 | 600 |
| 25 | 220033 | 250 |
| 32 | 220034 | 150 |
| 40 | 220035 | 100 |
| 50 | 220036 | 60 |
| 63 | 220037 | 80 |
| 75 | 220038 | 48 |
| 90 | 220039 | 48 |
| 110 | 220040 | 27 |
| 125 | 220041 | 18 |
| 160 | 304042 | 6 |



REDUCER SOCKET
MANCHON DE RÉDUCTION

| Ø D. | Code | U./B. |
|---------|--------|-------|
| 25/20 | 220052 | 600 |
| 32/25 | 220611 | 250 |
| 40/32 | 220613 | 150 |
| 50/40 | 220615 | 100 |
| 63/50 | 220616 | 60 |
| 75/63 | 220053 | 80 |
| 90/75 | 220057 | 48 |
| 110/90 | 220060 | 48 |
| 125/110 | 220063 | 25 |
| 140/125 | 220408 | 20 |
| 140/110 | 304409 | 20 |
| 160/140 | 304410 | 12 |
| 160/125 | 304411 | 12 |
| 200/160 | 304204 | 6 |
| 250/160 | 304493 | 6 |
| 250/200 | 304494 | 6 |
| 315/200 | 304495 | 2 |
| 315/250 | 304496 | 3 |



SOCKET F-F
MANCHON F-F

| Ø D. | Code | U./B. |
|------|--------|-------|
| 20 | 220002 | 250 |
| 25 | 220003 | 150 |
| 32 | 220004 | 90 |
| 40 | 220005 | 55 |
| 50 | 220006 | 75 |
| 63 | 220007 | 75 |
| 75 | 220008 | 50 |
| 90 | 220009 | 24 |
| 110 | 220010 | 16 |
| 125 | 220011 | 22 |
| 160 | 304412 | 6 |
| 200 | 304180 | 2 |
| 250 | 304488 | 2 |
| 315 | 304489 | 1 |



UNION SOCKET
MANCHON À COLLIER

| Ø D. | Code | U./B. |
|------|--------|-------|
| 63 | 304267 | 35 |
| 75 | 304226 | 25 |
| 90 | 304246 | 30 |
| 110 | 304242 | 20 |
| 125 | 304190 | 15 |
| 140 | 304210 | 18 |
| 160 | 304416 | 14 |
| 200 | 304465 | 7 |
| 250 | 304497 | 4 |
| 315 | 304498 | 1 |



JOINT 3 PIECES
ASSEMBLAGE 3 PIÈCES

| Ø D. | Code | U./B. |
|------|--------|-------|
| 20 | 304044 | 50 |
| 25 | 304045 | 60 |
| 32 | 304046 | 25 |
| 40 | 304047 | 30 |
| 50 | 304048 | 40 |
| 63 | 304049 | 24 |
| 75 | 304050 | 30 |
| 90 | 304181 | 12 |



PVC PRESSURE FITTING. 10 ATM

ACCESSOIRES PVC DE PRESSION. 10 ATM

REDUCING TEE 90° F TÉ RÉDUITE 90° F

| Ø D. | Code | U./B. |
|---------|--------|-------|
| 25/20 | 220096 | 100 |
| 32/20 | 220097 | 50 |
| 32/25 | 220098 | 50 |
| 40/32 | 220099 | 80 |
| 40/25 | 220100 | 80 |
| 40/20 | 220101 | 80 |
| 50/40 | 220102 | 60 |
| 50/32 | 220103 | 60 |
| 50/25 | 220104 | 70 |
| 50/20 | 220105 | 70 |
| 63/50 | 220106 | 35 |
| 63/40 | 220107 | 40 |
| 63/32 | 220108 | 40 |
| 63/25 | 220109 | 40 |
| 63/20 | 220110 | 40 |
| 75/63 | 220111 | 20 |
| 75/50 | 220112 | 20 |
| 75/40 | 220113 | 24 |
| 75/32 | 220114 | 24 |
| 75/25 | 220115 | 24 |
| 75/20 | 220116 | 24 |
| 90/75 | 304221 | 20 |
| 90/63 | 304222 | 18 |
| 90/50 | 304174 | 18 |
| 90/40 | 304288 | 18 |
| 90/32 | 304227 | 18 |
| 90/25 | 304191 | 18 |
| 110/90 | 304223 | 12 |
| 110/75 | 304228 | 12 |
| 110/63 | 304028 | 12 |
| 110/50 | 304029 | 12 |
| 110/40 | 304030 | 12 |
| 110/32 | 304229 | 12 |
| 110/25 | 304192 | 10 |
| 125/110 | 304168 | 6 |
| 125/90 | 304230 | 6 |
| 125/75 | 304286 | 6 |
| 125/63 | 304169 | 6 |
| 125/50 | 304172 | 6 |
| 125/40 | 304170 | 6 |
| 125/32 | 304231 | 6 |

TEE 90° F TÉ 90° F

| Ø D. | Code | U./B. |
|------|--------|-------|
| 20 | 220607 | 150 |
| 25 | 220608 | 90 |
| 32 | 220609 | 45 |
| 40 | 220610 | 45 |
| 50 | 220022 | 60 |
| 63 | 220023 | 30 |
| 75 | 220024 | 20 |
| 90 | 220025 | 18 |
| 110 | 220026 | 12 |
| 125 | 220027 | 8 |
| 140 | 304413 | 5 |
| 160 | 304414 | 3 |
| 200 | 304415 | 1 |
| 250 | 304490 | 1 |
| 315 | 304491 | 1 |

BRIDLE BRIDE

| Ø D. | Code | U./B. |
|------|--------|-------|
| 63 | 304158 | 25 |
| 75 | 304284 | 23 |
| 90 | 304245 | 20 |
| 110 | 304272 | 15 |
| 125 | 304197 | 20 |
| 140 | 304205 | 18 |
| 160 | 304167 | 10 |
| 200 | 304464 | 9 |
| 250 | 304499 | 7 |
| 315 | 304500 | 7 |

INVERT REDUCER M-F RÉDUCTION EXCENTRIQUE M-F

| Ø D. | Code | U./B. |
|---------|--------|-------|
| 32/20 | 304628 | 60 |
| 40/25 | 206014 | 80 |
| 40/20 | 304280 | 80 |
| 50/32 | 304055 | 40 |
| 50/25 | 304405 | 50 |
| 50/20 | 304281 | 50 |
| 63/40 | 206017 | 30 |
| 63/32 | 304268 | 30 |
| 63/25 | 304287 | 30 |
| 75/50 | 304054 | 30 |
| 75/40 | 304056 | 30 |
| 75/32 | 304269 | 25 |
| 90/63 | 304058 | 35 |
| 90/50 | 304059 | 45 |
| 90/40 | 304270 | 35 |
| 110/75 | 304061 | 24 |
| 110/63 | 304062 | 30 |
| 110/50 | 304173 | 30 |
| 125/90 | 304195 | 20 |
| 125/75 | 304463 | 36 |
| 160/110 | 304492 | 8 |
| 200/160 | 304501 | 6 |

PVC PRESSURE FITTING. 10 ATM

ACCESSOIRES PVC DE PRESSION. 10 ATM

TERMINAL THREAD M TERMINAL FILET M

| Ø D. | Thread/Filet | Code | U./B. |
|------|--------------|--------|-------|
| 20 | 1/2" | 220627 | 250 |
| 25 | 3/4" | 220628 | 150 |
| 32 | 1" | 220629 | 100 |
| 40 | 1-1/4" | 220630 | 55 |
| 50 | 1-1/2" | 220078 | 100 |
| 63 | 2" | 220079 | 55 |
| 75 | 2-1/2" | 220080 | 50 |
| 90 | 3" | 304216 | 16 |
| 110 | 4" | 304249 | 10 |



SOCKET F-F MANCHON F-F

| Ø D. | Thread/Filet | Code | U./B. |
|------|--------------|--------|-------|
| 20 | 1/2" | 220618 | 250 |
| 25 | 3/4" | 220619 | 150 |
| 32 | 1" | 220620 | 90 |
| 40 | 1-1/4" | 220621 | 55 |
| 50 | 1-1/2" | 220065 | 75 |
| 63 | 2" | 220066 | 75 |
| 75 | 2-1/2" | 220067 | 50 |



ELBOW F-F 90° COUDE F-F 90°

| Ø D. | Thread/Filet | Code | U./B. |
|------|--------------|--------|-------|
| 20 | 1/2" | 220622 | 150 |
| 25 | 3/4" | 220623 | 100 |
| 32 | 1" | 220624 | 55 |
| 40 | 1-1/4" | 220625 | 75 |
| 50 | 1-1/2" | 220069 | 75 |
| 63 | 2" | 220070 | 30 |



TEE 90° F-F TÉ 90° F-F

| Ø D. | Thread/Filet | Code | U./B. |
|------|--------------|--------|-------|
| 20 | 1/2" | 220072 | 100 |
| 25 | 3/4" | 220073 | 75 |
| 32 | 1" | 220074 | 40 |
| 40 | 1-1/4" | 220075 | 50 |
| 50 | 1-1/2" | 220076 | 50 |
| 63 | 2" | 220077 | 25 |



REDUCING TEE 90° F-F TÉ RÉDUITE 90° F-F

| Ø D. | Thread/Filet | Code | U./B. |
|------|--------------|--------|-------|
| 25 | 1/2" | 220117 | 75 |
| 32 | 3/4" | 220118 | 45 |
| 32 | 1/2" | 220119 | 45 |
| 40 | 1" | 220120 | 70 |
| 40 | 3/4" | 220121 | 70 |
| 40 | 1/2" | 220122 | 70 |
| 50 | 1-1/4" | 220123 | 60 |
| 50 | 1" | 220124 | 60 |
| 50 | 3/4" | 220125 | 70 |
| 50 | 1/2" | 220126 | 70 |
| 63 | 1-1/2" | 304127 | 40 |
| 63 | 1-1/4" | 304128 | 40 |
| 63 | 1" | 304129 | 40 |
| 63 | 3/4" | 304130 | 40 |
| 63 | 1/2" | 304131 | 35 |

